INSPIRATION

Wallsystems
by Glimakra of Sweden

WALLSYSTEMS

Wallsystems is a company that has further managed Perstorp's originating product, the cubicle system. It was part of Spectra's range that Glimakra of Sweden acquired over 10 years ago. Nowadays, it is a refined supply from Glimakra of Sweden and has its own focus on cubicle systems in all environments.

GLIMAKRA
OF SWEDEN

With the customer in focus, we strive to ensure that our business has as little impact on the environment as possible. We use clean, unmixed materials as far as possible, making recycling of the products easier. In order to further safeguard the environment, we choose suppliers in the local area, which reduces transport distances.

It is our goal to meet our customers' requirements for each individual order according to the conditions we have. Our customers should be able to trust that the delivery takes place at the right time and with the right quality. Glimakra of Sweden is environmentally and quality certified according to ISO 14001 and ISO 9001.

SPACE, FROST och BASIC cubicle systems - equally fresh, functional and sustainable year after year.

BASIC, FROST and SPACE are made to withstand the tough stresses that will be exerted on eg. sports arenas. Both from audiences and victorious or frustrated players after a tough match. Our goal is that our cubicle systems should be just as fresh year after year. We also want to make it easier for the users by providing a screen cubicle systems that is easy to clean and maintain. The cleaning is easy with all-purpose cleaner and the material can withstand even high-pressure washing.

Our cubicle systems are available in arenas, sports facilities, schools, public environments and everywhere you need functional cubicle systems. Common to all is that the hygiene departments with showers and toilets must withstand moisture, shocks and hard wear. The material in our screen cubicle systems is both hard and tough. It is difficult to make the marks in and difficult to crack. BASIC, FROST and SPACE are guaranteed to be sustainable. Thanks to the long life span, the simple cleaning and the special properties of the compact and space of Space and Basic, we dare to leave 10 years of responsibility against damages caused by moisture or mold, according to special responsibility.

Sweden Rock Festival
JYSK



ÄVENTYRETS
FÖRSKOLA

Technical description

Wallsystems
by Glimakra of Sweden



WALL- AND CUBICLE PANELS	SPACE/FROST	BASIC	SPACE WALL PANEL
DIMENSIONS	Front, end and partition walls 1879x1300 mm Doors 1862x600 mm / 900 mm Floor mounted 2050x1300 mm Doors 2000x600 mm / 900 mm Can be made according to customer's wishes.	Front walls 1888x1 300 mm. Partitions 1904x1 300 mm Doors 1860x600 mm / 900 mm format. Can be made after customer's requests.	The standard is 2405x1 300 mm Can be ordered in other formats
PROFILES	Natural anodized aluminum 0 40 mm, most of which are pre-drilled and cut into the right lengths.	Powder coated aluminum / brass, most of which are pre-drilled	Natural anodised aluminum, most of which are pre-drilled and cut in the right lengths
SHOWER SCREEN	Compact high-pressure laminate 1860x900 mm For fixing floor / ceiling or floor / wall with drapery shades.		
BODY CONSTRUCTION	Space - Compact high-pressure laminate, 9.8 mm thick ISO 4586 / EN 438 Frost - Plexi 10 mm thick	Compact high pressure laminate, 9.8 mm thick. ISO 4586 / EN 438	Compact high pressure laminate, 5.2 mm thick. EN 438 / SS 923601
FLOOR PEDESTAL	Adjustable column foot 90-150 mm and 60-70 mm	Adjustable column foot 90-150 mm	
DELIVERY	Ready for drawing. With each order comes a drawing and assembly instructions according to the design documentation.		
PROCESS	Space and Basic can be sawn and drilled with ordinary woodworking tools with cemented carbide inserts. The edges can be sanded and polished, but need not be painted or otherwise protected against moisture.		
MANAGEMENT AND CARE	Space and Basic have high chemical resistance, which is why it does not require any special care. Strong stains are washed with 10% acetic or citric acid. Stains from paint, marker pens, nail polish etc. are removed with T-alcohol, acetone, gasoline or tetrachlorethylene followed by a wash with water and all cleaning agents. Follow the manufacturer's instructions. Do not use steel wool, scouring powder or other abrasive preparations, they may give rise to shiny spots on the surface. The durability of Space / Basic also makes it possible to pressurize the system.		
RESPONSIBILITY	We leave an expanded responsibility according to special action for Space and Basic screen walls for 10 years.		

The right to modification is reserved.

Our products Space and Basic are listed in the database for buildingproducts that can be used in Nordic Swan Ecolabelled buildings.

SundaHus